Index

Abdomen	(TACEVAC): 4.1-2
abdominal ultrasound: 17.3-6	medical considerations
antibiotic coverage: 10.8	requirements: 4.2
CT: 17.6	noise: 4.5
diagnosis: 17.1-2	phone numbers: 11.7
laparotomy, indications: 17.2	process: 4.8
location: 17.1	thermal stress: 4.5
operation by organ, technique: 17.9-	Aeromedical Evacuation Liaison Team
14	(AELT): 4.6
peritoneal lavage: 17.7	Afterload: 11.8
retroperitoneal injuries: 17.15–16	Aidman, see Combat Medic
wound closure: 17.16	Aircraft, for rapid patient movement,
Abdominal Ultrasound (FAST): 17.3-6	see chapter 4
Abdominal Closure: 12.5; 17.16	Air Evacuation, see chapter 4
in abdominal compartment	Air Force, Level of Care: 2.2
syndrome: 12.5	Air Leak, in Lung Injury: 16.12–13
Abdominal Compartment Syndrome:	Airway Management
12.5; 12.6–7	blind intubation: 5.8
Abdominal Wall Defects: 12.5	chin-lift and head tilt/two handed
Abdominal Pressure: 12.8	jaw thrust/oropharyngeal/
Abscesses, Intraabdominal in Systemic	nasopharyngeal: 5.1
Sepsis: 10.9	cricothyrotomy: 5.6
Acetabulum/Hip Joint Injuries: 21.3	difficulty: 5.6–7
Acetazolamide	endotracheal: 9.5
in eye injury: 14.7	laryngeal mask airway: 5.7
in AMS: 29.26	Air Splints, Problems in Aeromedical
Acidosis	Evacuation: 4.4
metabolic: 11.12	AK-47: 1.7
reversal: 12.6	Albumin, in Burns: 28.6–7
Acute Mountain Sickness (AMS): 29.24–	Alpha Particles: 30.5
27	Alkalosis, Metabolic: 11.12
Acute Renal Failure: 11.9–10	Altitude Illness
dialysis: 11.11	acute mountain sickness (AMS):
in crush syndrome: 22.6	29.24–27
Acute Tubular Necrosis: 11.9	altitude basics: 29.23
Adnexa, uterine: 19.3, 5–7	descent basics: 29.23–24
Adult Respiratory Distress Syndrome	high altitude pharyngitis and
(ARDS): 11.7	bronchitis: 29.27
Aeromedical Evacuation (AE)	high altitude peripheral edema:
aviation environment: 4.3	29.27–28
cabin altitude restriction: 4.4	high altitude pulmonary edema:
concepts of operation: 4.6	29.29–33
decreased humidity: 4.5	subacute mountain sickness: 29.28–
gravitational stress: 4.4	29
head injuries: 15.15–16	thromboembolic events at altitude:
ICU preparation for evacuation:	29.28
11.15	Altitude Restriction: 4.4
intertheater strategic evacuation	Amitriptyline, in Cold Injury: 29.3
(STRATEVAC): 4.1–2	Ampicillin: 10.8
intratheater tactical evacuation	Amputation

indications: 25.1	brachial: 27.5
level: 25.2	descending aorta: 16.7
open length preserving: 25.2	femoral: 27.4
postoperative management: 25.5–6	grafts: 27.7
radiological injury: 30.6	iliac: 27.3
skin traction: 25.5	injury: 27.1–2
technique: 25.3	internal carotid: 13.15
transportation cast: 25.6–8	internal maxillary: 13.7
Anal Laceration: 19.1, 11	popliteal: 27.4–5
Anastomosis	radial: 27.5
colon: 17.3	shunts: 27.6
small intestine: 17.11	vertebral: 13.15
Ancef, see Cefazolin	Arthrotomy: 24.3–5
Anesthesia	Aspiration, of pericardium: 16.3
airway: 9.1	Atrio-Caval Shunt: 17.12
general: 9.6–8	Atropine
field: 9.9–12	chemical injury: 32.2
induction: 9.2	ophthalmic: 14.4
induction agents: 9.3-5	Autotransfusion: 7.11–12
neuroaxial: 9.9	Bacillus Anthrasis, see Anthrax
rapid sequence intubation: 9.2-5	Bacitracin, in Eye Injuries: 14.3
Anesthetics, Effect on Hypotension: 9.5	Bacteria, Infection in War Wounds: 10.2, 5
Anhidrotic Heat Exhaustion: 29.20	Bacterial Agents: 31.5
Ankle	Bacterial Keratitis: 14.5
aspiration: 25.1	Bacteriology, of War Wounds: 10.2-3
disarticulation: 25.4	Ballistics: 1.1–4, 7–9
surgical approach: 24.4	Bandages
Ankle-Brachial Index: 27.2	pressure: 6.2
Anteriorlateral Thoracotomy: 12.12	fibrin: 6.7–8
Anthrax: 31.1–2, 5	Barbiturates
Antiarmor Weapons	anesthesia: 9.4
kinetic energy: 1.10–11	traumatic brain injury: 11.4
landmines: 1.11–13	Battle's Sign: 13.18
mechanism of injury: 1.12-13	Battalion Aid Station/Level I Medical
shaped charge: 1.9-10	Treatment Facility: 2.1–2
Antibiotics, see also Specific Drugs	Bertylium, in hypothermia: 29.9
head injuries: 15.7	Beta Particles: 30.5
ophthalmic drops: 14.5	Biliary Tract Injury: 17.12–13
ophthalmic ointments: 14.3	Biobrane: 28.14
pediatrics: 33.7	Biological Warfare
prophylactic: 11.14	bacterial agents: 31.5
Anticonvulsants: 15.7	decontamination mechanical/
Antidotes, see chapter 32	chemical/physical: 31.2-3
Antipersonnel Mines, Static/Bounding/	detection and diagnosis: 31.1
Horizontal: 1.6–7	biological toxins: 31.5
Antitoxin, Tetanus: 10.6	infection control/evacuation: 31.3
Anuria: 11.9–12	precautions: 31.4
Arch Bar: 13.5	prevention and protection: 31.2
Arm	quarantine: 31.4
forearm: 22.10–11	viral agents: 31.6
long arm cast: 25.8	Bladder
upper arm: 22.10	dysfunction in spinal cord injury:
Armored Vehicle Crew Casualties: 1.9, 11	20.10
Army, Levels of Care: 2.1-10	injuries: 18.9–10
Artorios	polyic fracture: 21.2

pressure measurement: 12.7–8	phosphorous: 28.11-12
Blast	primary survey: 28.2
mechanisms of injury: 1.4; 1.12-13	respiratory: 28.3
nuclear detonation: 30.1-2, 4	resuscitation management: 28.6-7
over pressure causing CNS injury:	rule of nines: 28.4
15.2	topical chemotherapy: 28.7, 15
Blast Injury	triage: 28.1
brain: 15.2, 11	wound care: 28.7–9
lung: 16.1	BURP Maneuver: 5.4
nuclear detonation: 30.4	Burr Holes: 15.12–13
tympanic membrane: 13.18	Calf
ureter: 18.6	compartments: 22.12
Blood	fasciotomy: 22.13
replacement in shock: 7.3	Caloric Requirements, in ICU: 11.13
massive transfusions: 7.8	Canthotomy/Cantholysis, Lateral: 14.8–9
Blood Products in the Field: 7.6	Capsule, Joint, Closure: 24.4
Blood Bank: 7.6, 9–10	Carbon Dioxide Tension: 19.2, 19.6
Blood Platelets: 7.7	head injuries: 15.10
Blunt Trauma: 1.13	Carbon Monoxide Poisoning, in Burns:
head: 15.1, 13–14	28.3
Boare Flap: 18.6	Cardiac Arrhythmia: 11.8–9
Body Surface, Burned Extent, see Rule of	Cardiac Contractility: 11.8
Nine	Cardiac Contractinty: 11.6 Cardiac injury: 16.3
Boric Acid, in Eye Injuries: 14.3	
Botulinum: 31.5	tamponade: 16.3 Cardiopulmonary Resuscitation, in
Bougainville Campaign Casualty Data:	Hypothermia: 29.9–10
1.1	Cardiovascular System
Brachial Plexus Block: 9.8	critical care: 11.7–9
Bradycardia	pediatrics: 33.2–3
	· .
neurogenic shock: 7.2	Carotid artery
spinal injury: 20.10 Brain	ligation in neck wounds: 13.15 intraoral wounds: 13.15
	Casts
entrance wounds: 15.2	air evacuation: 4.3
primary brain injury: 15.4	
secondary brain injury: 15.4, 7	application: 25.6
Broad Ligament: 19.5	low hip spica: 25.6–8
Bronchoscopy: 16.14	transportation: 25.6
in airway burns: 28.3	Casualty Evacuation (CASEVAC): 4.1
Brucellosis / Brucella: 31.5	Casualty Receiving and Treatment Ships
Buck's Fascia: 18.12	(CRTS): 2.4
Bullet, Fragmentation, see chapter 1	Catheter, see chapter 8
Burkholderia Mallei: 31.5	intracranial ventricular: 15.8–9
Burns	pulmonary capillary wedge pressure:
antibiotics: 28.8–9, 13	11.8, 10
armored crew casualties: 1.9	ureteral: 19.9
carbon monoxide: 28.3	urethra: 18.12
chemical: 28.11	Casualty Evacuation: 4.1
electrical injury: 28.10–11	Cavitation, Temporary: 1.1–2, 7–9
epidemiology: 3.9	Cefazolin: 19.13
excision: 28.13	Cephalsporin: 23.2
excision and grafting: 28.12–15	Cefepime: 10.10
first aid: 28.1–2	Cefotetin: 10.8
fluid resuscitation: 28.3–4	Cefoxitin: 10.8
hyperkalemia in: 28.7, 11	Ceftazidime: 10.10
pediatric: 33.3	Ceftriazone: 10.8

Lellulitis, Anaerobic: 10.6	neat stroke: 29.14, 17
Cerebral Injuries, see Head Injuries	Cold Injury: 29.1–11
Cerebral Perfusion Pressure (CPP): 11.3–4	frost bit: 29.4–7
head injuries: 15.4	frostnip: 29.4
Cervical Spine Injury	hypothermia: 29.7–11
face and neck trauma: 13.2	non freezing: 29.1
field management: 20.4–5	pernio: 29.2
immobilization: 20.6–7	trench foot: 29.2–3
injuries to neck: 20.1–9	Colloids, in burns: 28.5–7
management: 20.9–10	Colon Injuries: 17.13–14
traction: 20.6	colostomy, indications: 17.13–14
Cervical Plexus Regional Block: 9.8	Combat Lifesaver: 2.1
Cervix: 19.3–4	Combat Medic: 2.1–2
Cesarean Section: 19.9, 11–13	Combat Support Hospital (Echelon
Chelating Agents, in Radiological Injury:	Above Corps): 2.10
30.6	Combat Support Hospital/MF2K CSH/
Chemical Agent Monitor (CAM): 32.7	MRI CSH (Corps): 2.6–8
Chemical Injuries	Cooling, in Heat Injury: 29.15
cyanogens: 32.4–5	Common Bile Duct Injury: 17.12
incapacitating agents: 32.5	Compartment Syndrome
initial treatment priorities: 32.1	abdominal: 12.6–8, 10
lung damaging agents: 32.4	calf: 22.12–13
nerve agents: 32.2–3	foot: 26.6-8
off-gassing: 32.6	forearm: 22.10–11
personal protection: 32.1	hand: 26.2–3
post surgical procedure: 32.7	Compazine: 15.3
specific chemical warfare (CW)	Concussion, of brain: 15.2, 10, 11
	Conjunctiva: 14.6
agents and treatment: 32.2–5	
surgical treatment of chemical	Conray: 18.2
casualties: 32.6–7	Consciousness, see Glasgow Coma Scale
thickening agents: 32.5	Controlled Resuscitation: 7.4
vesicants: 32.3	Convulsions
wound decontaminations: 32.6	brain injuries: 15.7
wound exploration and debridement:	nerve agents: 88
32.6–7	tetanus: 10.4
Chemotherapy, Topical, in Burns: 28.7–8	CONUS, see Level V: 2.10
Chest Tube: 16.4–5	Cooling, in Heat Injury: 29.15
care during evacuation: 3.2, 4	Copper Sulfate: 28.12
Chest Wounds, see chapter 16	Corne
Chilblains: 29.1	abrasion: 14.4
Chlorhexidine gluconate: 28.7	antibiotics: 14.3
Cholecystectomy: 17.12	chemical injuries: 14.3
Cholecystitis, acalculous: 11.13	foreign bodies: 14.6
Cholera: 31.5	ulcer: 14.5
Choledochoenterostomy: 17.3	Coxiella, see Q-Fever
Ciprofloxacin	Cramer Wire Splint: 25.8
eye injuries: 14.2	Craniectomy: 11.4; 15.11
systemic sepsis: 10.10	Craniotomy: 3.9; 11.4; 15.12–15
Clindamycin	Craniocerebral Wounds and Injuries, see
•	
intraabdominal infection: 10.8	Head Injuries
pulmonary infection: 10.8	Creatinine Phosphokinase, in crush
soft tissue wound infection: 10.7	syndrome: 22.7
Clostridial Myonecrosis: 10.6	Cricoid Pressure (Selleck Maneuver): 5.3;
Coagulopathy: 6.6; 11.5	9.5
dilutional: 11.12; 12.6	Cricothyrotomy: 5.2, 5.6–7; 13.2

Critical Care: 11.1	Died of Wounds, definition: appendix 2
Critical Care Air Transport Teams	Difficult airway: 9.6
(CCATTs): 4.9	Dimercaprol: 32.3
role: 11.15	Dislocations, of Cervical Spine: 20.3
Crush Syndrome: 22.6–8	Diuretics, in Crush Injury: 22.8
Crystalloids Fluids: 7.3; 11.4	Dobutamine: 11.3
CT Scan: 15.6; 17.7	Dopamine: 11.3; 20.10
Cyanides: 32.4	Doppler Flow Measurement: 27.2
Cyanomethemoglobin: 32.5	Doxycycline, in Tetanus: 10.6
Cyanogen Chloride: 32.4	Drainage
Cyclogyl: 14.5	bladder: 18.10–1
Cycloplegia: 14.5	CSF: 15.10
Cystography: 18.9–10	kidney: 18.5
Cystostomy: 18.9–10	Drawover Vaporizer: 9.9–12
Damage Control Surgery (DCS)	Dressings
abdomen: 17.12	amputations: 25.5
critical care considerations: 11.1; 12.6–	burns: 28.8
7	soft tissue: 22.5
head injuries: 15.1, 11	Duodenum Injuries: 17.9–10
indications: 12.2	Duplex Ultrasound: 27.2
phases: 11.2	Dura: 15.14
planed reoperation: 12.8	Ebola: 31.5
primary operation and hemorrhage	Echelons of Medical Care, see Levels
control: 12.3–6	Elbow
Debridement	aspiration: 24.3
brain: 15.14	surgical approach: 24.4
frostbite: 29.6–7	Electrical Injury: 28.10–11
necrotizing soft tissue infections:	Embolism, Air: 16.13
10.6–7	Empyema: 16.15
soft tissue: 22.2–4	Endotracheal Intubation
radiological injury: 30.5	aeromedical evacuation: 4.3
soft tissue: 22.2–4	equipment: 9.2
tetanus: 10.6	head injuries: 15.16
war wounds: 10.4	Energy, Kinetic, Antitank Missile: 1.10
Decontamination, Radioactive: 30.6	Enflurane: 9.7
Decubitus Ulcers: 20.10	Endophthalmos: 14.9–10
Deep Vein Thrombosis: 11.12; 20.10	Enucleation, of eye: 14.13
Delayed Triage: 3.2	Enterotomy: 17.13
Delayed Wound Closure	Epidural Block: 9.9
soft tissue: 22.6	Epilepsy: 15.7
radiological injury: 30.5	Epinephrine
Dental Problems with Fractures: 13.4	burn wound excision: 28.14
Dexamethasone	neonatal resuscitation: 19.15
AMS: 29.26	Episiotomy: 19.9–10
HACE: 29.33	Equipment, Triage and Resuscitation
Dialysis, Indications: 11.11	Facility: 3.7
Diaphragm, injuries: 16.15	Erythromycin, in Eye Injuries: 14.3
Diarrhea, Bloody, in Radiation Injury:	Escharotomy
30.4	care: 28.10
	preferred sites: 28.3
Diagnostic Peritoneal Lavage	thoracic: 28.3
Diamox, see Acetazolamide	
Diazapam	Eschars: 28.3, 9–10
chemical injury: 32.2	Eschmann Stylet: 5.4
heat stroke: 29.16	Esophagus
Diclofenac (ophthalmic): 14.4	injuries and repair: 13.16–17; 16.14–15

fictula: 13 17 16 15	FFP: 7.6, 8
fistula: 13.17, 16.15	
Etomidate: 5.3; 9.4–5	Field Hospital: 2.9
Evacuation: Precedence by Service: 3.6	Fission Products: 30.5
Excision/Debridement, Inadequate: 22.4	Fixator, External: 28.10–19
Excision, see Debridement.	Flail Chest: 16.1, 4
Expectant, in Triage: 3.2, 3.4	Flash Blindness, in Radiological Injury:
Expeditionary Medical Support Basic	30.5
(EMEDS)/EMEDS + 10, + 25: 2.4, 8	Fleet Hospital: 2.8–9
External Ear, Wound and Injuries: 13.19–	Fluids
20	burns: 28.4–5
External Fixation	intravenous access
ankle: 23.19	Fluorescein: 14.4, 14.6
femoral diaphyseal fracture: 23.10–13	Focused Abdominal Sonography for
humerus: 23.8	Trauma (FAST): 17.3
knee: 23.18	Fogarty Balloon Catheter: 27.6
pelvis: 21.3–4	Foot, Injuries: 26.5–8
tibial shaft: 23.13–17	Forward Resuscitative Surgery Team
Extremity Fractures	(FRSS): 2.5
evacuation: 23.30–31	Forward Surgical Team (FST): 2.3
external fixation: 23.1, 10–20	Foot: 26.1-6
skeletal traction: 23.19-20	Four Cs: 22.4
transportation cast: 23.1, 4-10	Fractures: see chapter 23
wound management: 23.2-4	antitank mines: 1.11
Eye Injuries, Epidemiology: 3.9	naso-orbital-ethmoid (NOE): 13.3
Eyelid, Laceration: 14.10–12	parachute injuries: 1.15
Face	Fracture Table: 23.5–6
airway: 13.1	Francisella, see Tularemia
cervical spine: 13.2	Frostbite: 29.4–7
fractures: 13.3–9	field treatment: 29.5
initial management: 13.1	grades of frost bite/superficial/deep
lacerations: 13.9	29.4–5
soft tissue: 13.9–11	MFT treatment: 29.5–7
vascular injury: 13.2	Furosemide: 11.10
Facial Bones, Fractures	Gamma Radiation: 30.5
management: 13.1	Gamow Bag: 29.31
mandibular: 13.3	Gardner-Wells Tongs: 20.6–8
mid-face (Le Fort): 13.7-9	Gastritis, stress: 11.5, 12
nose: 13.5	Gastrostomy: 17.10
Facial Nerves	General Hospital: 2.9
anatomy: 13.10	Gentamycin: 10.7, 8
injury: 13.10, 18	Genitourinary Tract Injury
Fallopian Tubes: 19.5	renal: 18.1–5
Fallout, in Nuclear Detonation: 30.5	ureter: 18.6–8
Fasciotomy	bladder: 18.9-10
compartment syndrome: 22.9	urethra: 18.10–12
crush injury: 22.8	external genitalia: 18.12-13
extremities: 22.10–14	in pelvic fractures: 21.2
prophylactic: 22.9	Glanders, see Burkholderia
Fecal Contamination: 17.15	Glasgow Coma Scale
Femoral artery/Vein: 27.3-4	adult: 15.5
Femur: 23.5–6, 23.11–14	modified for children: 33.5
Fentanyl: 5.3; 9.2	Glycopyrrolate (Robinul): 9.7
Fetus	Gray, Unit of Radiation Exposure (Gy):
delivery: 19.9	30.3
heart rate: 19.9, 11	Greater Saphenous Vein Cutdown: 8.3–4
Fever, in ICU: 11.2	Gynecologic/Obstetric Emergencies

Cesarean Section: 19.11–13	Hip Spica, low: 23.5–6
neonatal resuscitation: 19.15	Hoffmann II: 23.10
vaginal delivery: 19.9-11	Hospitals, see chapter 2
vaginal hemorrhage: 19.7–8	Hospital Company 84-Bed, 164-Bed: 2.7-8
uterine atony: 19.13–14	Hospital Ship (TAH): 2.9
Gynecologic Trauma	Hospital Unit-Base (HUB)/Hospital Unit-
abdominal hysterectomy: 19.4-6	Surgical (HUS): 2.7
adnexal injuries: 19.5–6	Humerus: 23.8
ovarian injuries: 19.6	Hydration
retroperitoneal hematoma: 19.7	heat: 29.12
uterus/cervical injuries: 19.3–5	overhydration: 29.12
vaginal injuries: 19.2–3	Hydrogen Cyanide: 32.4
vulval injuries: 19.1–2	Hypaque: 18.2
Halo Immobilization: 20.5-6	Hypercarbia
Halothane: 9.7	CNS trauma: 11.4; 15.7
Hand Injuries: 26.1-4	permissive: 11.7
Hanta Virus: 31.5	Hyperglycemia: 11.5, 14
Head Injuries	Hyperkalemia
combat head injuries type: 15.1-2	burn injury: 9.3, 28–11
evacuation: 15.15–16	crush injury: 22.7
mechanisms of injury: 15.4	heat stroke: 29.17
medical management: 15.7–11	ICU: 11.11
patient assessment and triage: 15.4–7	Hypertension
surgical management: 15.11–15	intracranial: 11.4; 15.10–11
traditional classification of head	systemic: 9.5
injuries: 15.3	Hyperthermia
Hearing: 13.19	avoidance: 11.5
Heart, injuries: 16.12	radiological injury: 30.5
Heat Injury	Hypertonic Saline: 7.3, 5; 11.3
heat cramps: 29.11, 18–19	head injuries: 15.10
heat exhaustion: 29.11, 19–20	Hyperventilation: 11.4
heat stroke: 29.13–1	Hyphema: 14.7
minor heat illnesses: 29.19–22	Hyperphosphatemia: 11.12
presentation of heat stroke: 29–14	Hypocapnea: 15.10
prevention of heat injury: 29.12–13	Hypochlorite Solution: 31.2; 32.3, 6
treatment of heat stoke: 29.15–18	Hypocoagulability, in Trauma: 11.10
Heimlich Valve: 3.4	Hypogastric Artery: 19.7, 14
Helmet: 13.4; 15.2	Hypokalemia: 11.11
Hematoma, head injuries: 15.11, 13	Hypomagnesemia: 11.12
	Hyponatremia
Hemorrhagic Fever, Viral: 31.5–6	in ICU: 11.11; 28.7
Hematuria: 18.1, 6, 9 HemCon: 6.7–8	
	head injuries: 15.8
Hemostasis, of liver wounds,	hypophosphatemia: 11.11
Hemorrhage Control: 17.11	Hypotension: 9.5
Hemorrhagic Fevers: 31.5	Hypothermia
Hemothorax: 16.3	grades: 29.7–8
Hemotympanium: 13.19	in treatment of head injuries: 15.10
Heparin, in Vascular Repair: 27.6	treatment: 29.8–11
Hepatic Failure: 11.13	systemic: 29.7–11
Hepatic Veins, Hemorrhage: 17.12	Hysterectomy: 19.3–5
Hetastarch: 7.3, 5	Ibuprofen
High Altitude Cerebral Edema (HACE):	altitude illness: 29.26
29.31–33	cold injury: 29.6
High Altitude Pulmonary Edema	ICU Care
(HEPE): 29.29–31	cardiovascular system: 11.7–9
Hip: 24.5–6	endocrine system: 11.14

evacuation: 11.15	Ketamine
gastrointestinal system: 11.12-13	anesthesia: 9.3, 7
hematologic system: 11.12	burns: 28.7
immune system: 11.14	Kidney: 18.1-5
musculoskeletal system: 11.15	Killed in Action, definition: A3.2
pulmonary system: 11.5–7	Kinetic Energy of Missile: 1.10
renal system: 11.9–12	Knee
shock resuscitation: 11.2–3	aspiration: 24.3
traumatic brain injury: 11.3-4	surgical approach: 24.4
Imipenem: 10.8, 10	Kocher Approach: 24.7
Immersion Foot, see Trench Foot	Kocher Maneuver: 17.9, 15
Immobilization, see Extremity Fractures	Laminectomy: 20.2, 9
Immunization, Against Tetanus: 10.4, 6	Landmines
174.175	antipersonnel: 1.6
Infection	antitanks: 1.11
antibiotic coverage for war wounds:	Laparotomy
10.5	epidemiology: 3.9
antibiotic dosage: 10.10	indications: 17.2
diagnosis of wound infection: 10.1	indications, at FST, at CSH: 17.2
intraabdominal: 10.8	Laryngeal Mask Airway (LMA): 5.7–8
microorganisms: 10.2	Laryngoscopy: 5.3–5
patterns of infection: 10.2–3	Larynx, injuries: 13.14–16
pulmonary: 10.8	Laser Eye Injuries: 14.12–13
soft tissue: 10.6–8	Lateral Canthotomy/Cantholysis: 14.8–9
splenectomy: 17.13	Le Fort Fractures: 13.7–9
systemic sepsis: 10.9–10	Levels of Medical Care
tetanus: 10.4, 6	Level I: 2.1
treatment: 10.3–4	Level II: 2.2
Inhalation Injury: 28.2	Level III: 2.6
Improvised Explosive Device: 1.7	Level IV: 2.9
Impact Uni-Vent Eagle: 11.6	Level V: 2.10
Insulin, use in ICU: 11.14	Levoburolol: 14.7
International Quarantinable Disease	Lewisite: 32.3
(IQD): 31.4	Lid Laceration: 14.10–12
Intraocular Contents, Prolaps, see Open	Lidocaine (2% with 1:100,000
Globe	epinephrine): 14.8
Intracranial Pressure: 15.8–10	Ligation: 27.8
Intracranial Ventricular Catheter: 15.8–9	Lenzolid: 10.10
Intraosseous Infusion: 8.4	Internal Jugular Venipuncture: 8.2
Intubation	Litter, in spine injuries: 20.7
rapid sequence for adults: 5.3; 9.5	Liver Injuries: 17.11–12
rapid sequence for children: 33.6	Local Anesthetic Agents: 9.9
direct laryngoscopy: 5.3–5	Log Role: 20.5
endotracheal: 5.10; 9.5	Long Leg Cast: 23.7–8
indications: 9.1; 11.5-6	Lumbar Spine: 20.8
nasotracheal: 5.8	Lung Injuries: 16.12
Isoflurane: 9.7	Lymphocyte/Granulocyte Levels
Jejunostomy: 17.10	Following Radiation: 30.4
Joint Injuries	M-16A1/M16A2: 1.8
aspiration: 24.2–3	M-291 Kit: 32.2
closed: 24.1	Macintosh Blade: 5.3
infection: 24.5	Mannitol
open: 24.1–9	brain injuries: 11.4
surgical approach: 24.5	crush injury: 22.8
Keratitis: 14.5	eye injuries: 14.7
	,

Matenide acetate: 28.7	Nasolacrimal Duct: 14.12
Mandibular Fractures: 13.3–5	NATO, rifle cartridge 7.62mm: 1.8–9
Mannitol, in head injuries: 15.10	Navy, Levels of Care: 2.4, 2.8-9
Marine Corps, Levels of Care: 2.5	Neck
Maxillary Fracture: 13.6–9	anatomy: 13.12
Maxillofacial Wounds, Reconstruction:	zone: 13.12
13.10	surgical principles: 13.14
Mechanisms of Injury	vertebral artery injury: 13.15
ballistic: 1.3, 12	intraoral injury: 13.15
blast: 1.4, 12	internal carotid: 13.15
thermal: 1.4, 12	internal jugular vein: 13.16
Meconium: 19.15	laryngotracheal: 13.16
Median Sternotomy: 16.9	trachea: 13.17
Medic, Combat: 2.1	esophageal: 13.17
Medical Attendants, in Air Evacuation,	Neostigmine: 9.7
see CCATT	Nephrectomy, Kidney Wounds: 18.3-4
Medical Evacuation (MEDEVAC): 4.1	Nephrostomy: 18.5
Medical Evacuation Precedence: 4.5–6	Neonatal Resuscitation: 19.15
Methergine: 19.14	Nerve Agents
Methylprednisolone, in Spinal Cord	chemical injury: 32.2–3
Injury: 20.9	eye: 14.4
Midazolam: 9.7	Nerves, Contraindication to Repair: 22.4
Metronidazole: 10.6, 8	Neuraxial Anesthesia: 9.9
Miliaria Rubra: 29.20–21	Neurogenic Shock: 7.2; 20.10
Miliaria Profunda: 29.20–21	Nifedipine, in HAPE: 29.31
Military Antishock Trouser (MAST): 6.4	Nitroprusside: 9.5
Miller Blade: 5.3	Nitrous Oxide: 9.7
Minimal Alveolar Concentration (MAC)	Norepinephrine: 11.3
(Halothane, Sevoflurane, Isoflurane,	Nose, fractures: 13.5–6
Enflurane, Nitrous Oxide): 9.7	Nursing Care, Prevention of Decubitus
Missiles, see chapter 1	Ulcers: 20.10
Mobile Field Surgical Team (MFST): 2.3	Nutrition, in ICU: 11.13
MOPP Gear	Obstetrical/Obstetric Emergencies: 19.8-
in heat: 29.13	14
chemical injury: 32.1	Ocuflox (ophthalmic drops): 14.5
Mortality	Ocular Injuries
burns: 28.1	anterior segment injuries: 14.3–7
damage control surgery: 12.1	chemical injury: 14.3–4
radiological injury: 30.3–4	corneal abrasions/ulcer: 14.4–5
Multiple Injuries, with head injuries: 15.3	hemorrhage: 14.7-8
Muscle Relaxants	hyphema: 14.7
depolarizing: 9.3	foreign bodies: 14.6
nondepolarizing: 9.3	identifying: 14.1–2
Mustard	open globe: 14.2–3
chemical injury: 32.3	retrobulbar/orbital floor fracture:
treatment of eye injuries gas: 14.4	14.9–10
Mydriacil: 14.5	subconjunctival hemorrhage: 14.3
Myocardial Ischemia/Infarction: 11.9	Ohmeda Portable Anesthesia Complete
Myoglobinuria: 11.10; 28.11	(PAC): 9.9–11
crush syndrome: 22.7	Oliguria, in renal failure: 11.9
electrical injury: 28.11	Omnipaque: 18.2
heat stroke: 29.14, 17	Op-Site: 28.14
Naloxone, in Neonatal Resuscitation:	Open Joint Injuries
19.15	acetabulum in pelvic fractures: 21.3
Naso-Orbito-Ethmoid Fracture: 13.3	anterior iliofemoral approach: 24.6
1,400 Olbito Edilliold Hacture, 10.0	anterior moremoral approach. 24.0

aspiration/injection: 24.2	Pelvis, Drainage: 17.15
hip: 24.5–8	Penicillin
operative treatment: 24.2–4	in tetanus: 10.6
posterior/Kocher approach: 24.7-8	in necrotizing soft tissue infection:
shoulder: 24.8–9	10.7
Open Pneumothorax: 16.4	Pernio: 29.2
Optiray: 18.2	Penis, Wounds: 18.12
Opthalmia, Sympathetic: 14.13	Pericardial Tamponade: 16.3
Orbit	Pericardial Window: 16.7–9
blowout fracture: 14.9	Pericardiocentesis: 16.3
hemorrhage: 14.7	Peripheral Nerves: 22.4
Oropharyngeal Intubation: 5.4–6	Peritoneal Lavage, diagnostic (DPL): 17.7
Osmolarity: 11.4	Perirectal Space: 17.15
Otologic Blast Injury: 13.19–20	Peritonitis: 10.8
Oxygen, supplemental: 11.5	Permanent Cavity: 1.3
Oxygen Tension	Phenergan: 14.3
aeromedical evacuation: 4.4	Phenobarbital: 9.4
critical care: 11.7	Phenylephrine: 11.3; 20.10
head injury: 15.7	Phenytoin: 11.5
Oxytocin	Phlebotomy: 7.6–8
postpartum: 19.13	Phosgene: 32.4
Uterine atony: 19.14	Phosphorus, White: 28.11–12
Ovarian Cyst: 19.6	Physostigmine: 32.5
Ovarian Torsion: 19.7	Plague: 31.2, 3, 5
Ovaries: 19.6–7	Plaster Casts: 23.4–7
Packing, Abdomen: 12.4–5	Platysma: 13.13
Pain, Control in ICU: 11.2	Pneumothorax
Pancreatic Duct: 17.11	open: 16.4
Pancreas Injuries: 17.10–11, 14	surgical management: 16.4–6
Pancreaticoduodenectomy: 17.9, 11	tension: 16.1, 3
Pancuronium: 9.3	Polysporin, in eye injuries: 14.3
Parachute Injuries: 1.14–15	Popliteal Artery: 27.4–5
Parotid Duct Injury: 13.11	Position of Function, Hand: 26.4
Patching, Eye Injuries: 14.2	Positive End-Expiratory Pressure (PEEP):
Patient Movement Requirement Center	9.6; 11.6
(PMRC): 4.7	Posterolateral Thoracotomy: 16.12
Pediatric Care	Potassium, see Hypo/Hyperkalemia
burns: 33.3	Potassium Iodine, in Radiological Injury:
cardiovascular: 33.2–3	30.6
drug/dosage: 33.7	Pralidoxime Chloride (2-PAMCl): 32.2
fluid requirements: 33.1	Precautions, Biological Weapons,
gastrointestinal: 33.3	Standard/Droplet: 31.4
hematology: 33.4	Prednisolone, Ophthalmic: 14.4, 7
intubation: 33.6	Pregnancy: 19.8–14
pulmonary: 33.2	Preload: 11.8
Pelvic Fractures	Presacral Drainage: 17.15
acetabular fracture: 21.3	Pressure
associated visceral injuries: 21.2–3	abdominal compartment syndrome:
blunt: 21.1	12.7
characteristics of penetrating	cerebral perfusion: 11.3–4
wounds: 21.3	intracranial: 11.4
external fixation: 21.3–4	mean arterial (MAP): 11.4
hemorrhage control: 21.2	intraocular: 14.7
Pelvic, Wounds Associated with Hip Joint	Pressure Points for Hemorrhage Control:
Injury: 21.3	6.3

Pressurization of Aircraft: 4.4	Respirator, in Air Evacuation: see chapter
Primary Injury of the Brain: 15.4	22
Pringle Maneuver: 17.11	Respiratory Complications Due to Nerve
Prochlorperazine, in Altitude Illness:	Agents: 32.2
29.26	Respiratory Irritation, see chapter 32
Proctoscopy: 17.14	Respiratory Obstruction, Emergency
Propofol: 9.4	Care, see chapter 5
Proptosis: 14.2	Respiratory Restriction, Escharotomy:
Protein Requirements: in ICU: 11.13	28.3
Prussian Blue, in Radiological Injury: 30.6	Resuscitation, see chapter 7
Pretreatment with Pyridostigmine	organization of facility: 3.13
Bromide: 32.3	Resuscitative Thoracotomy: 16.6-7
Pseudomonas Antibiotic Therapy, see	Retinal Injuries: 14.12
chapter 11	radiological injury: 30.5
Psoas Hitch: 18.6–7	Retroperitoneal Injuries: 17.15–16; 18.1, 3,
PTFE Graft: 27.7	6; 19.7
Pulmonary Infection: 10.8–9	Rewarming
Pulmonary Insufficiency	cold injured parts: 29.5-6
critical care: 11.5–7	hypothermia: 29.9–10
pediatrics: 33.2	Rib Fractures: 16.4; 17.4; 18.1
Pulmonary Tractotomy: 12.6; 16.13	Ricin: 31.5
Pulse After Arterial Repair: 27.9	Rifle, Bullets, see chapter 1
Pulse, in Shock: 7.1–2	Rift-Valley Fever: 31.5
Pupils: 14.2; 15.6	Rine Test: 13.19–20
Pyelography, Intravenous: 18.9	Rocuronium: 9.4
Pylorus, Ligation: 17.10	Role of Medical Care, see Levels
Pyrexia, see chapters 10 and 11	Round Ligament: 19.5
Q-Fever: 31.5	Roux-en-Y: 17.9–16
Quik Clot: 6.7–8	RPG-7: 1.10
Radial Artery: 6.3	Rule of Nines
Radiation Dispersal Device (Dirty Bomb):	adult: 28.4
30.1	child: 33.3
Radiation, Lethal Dose: 30.3	Sacrum
Radiological Injury	decubitus ulcers: 20.10
combined injuries: 30.5–6	presacral drains: 17.15
decontamination: 30.6	Saphenous Vein: 8.3–4; 27.7
introduction: 30.1–2	Salpingectomy: 19.5
logistics: 30.6–7	Scalp, Laceration: 15.3
	Sciatic Nerve: 24.7
potential injuries: 30.4–5	
signs and symptoms: 30.3	Scopolamine, ophthalmic drops: 14.4; 4, 7
triage: 30.2–3	Scrotum, Wounds: 18.12
Rhabdomyolysis: 28.11	Secondary Injury of the Brain: 15.4, 7
crush syndrome: 22.6	Seizure, Prophylaxis: 11.5
heat stroke: 29.14, 17	Seldinger Technique: 8.2–3
Rapid Sequence Intubation (RSI): 5.3; 9.5	Sepsis, see chapters 10 and 11
Rectal Injuries: 17.14–15	Septic Shock: 7.2
Rectovaginal Septum, Repair: 19.11	Sevoflurane: 9.7
Rectum: 17.14–15; 19.4	Shock and Resuscitation
Regional Anesthesia: 9.8–9	clinical correlates of hypovolemic
Renal Dialysis, in Crush Injury: 22.7	shock: 7.2
Renal Failure: 11.9–12	colloids: 7.5
Renal Injuries: 18.1–5	concept of controlled resuscitation:
Renografin: 18.2	7.4
Reoperative Abdominal Surgery: 12.8–9	fluids for resuscitation: 7.5
Resection, of small intestine: 17–13	recognition and classification of

1 1 7 1 0	1 1
shock: 7.1–2	head injuries: 15.7
resuscitation: 11.2–3	instability: 20.3–4
transfusion therapy: 7.6–12	management principles: 20.10
treatment of traumatic shock: 7.2–4	pathophysiology: 20.2
walking blood bank: 7.6-8	patient transport/extrication: 20.2–5
Shock Trauma Platoon: 2.2	stability: 20.2
Shock Wave	treatment: 20.9
in ballistic injury: 1.3	Splenic Injury: 17.11, 13
in blast: 1.3–4	
Shunts: 27.6	Splints, Extremities: 28.15
	Staphylococci: see chapter 10
Shoulder	Steinmann Pins: 23.19
aspiration: 24.3	Sternotomy: 16.9
splinting: 24.8	Steroids
surgery: 24.8–9	contraindication in traumatic brain
Sildenafil, Use in High Altitude	injury: 11.4
Exposure: 29.24	injuries of the spine: 20.9
Silver Sulfadiazine: 28.7	trauma: 11.15
Skeletal Traction: 23.19–20	treatment of toxic fumes: 1.13
Skin Grafts, Burns: 28.12-15	Stomach: 17.9
Skull	Streptococcal in Necrotizing Soft Tissue
basilar fracture: 13.18	Infection: 10.6
scalp: 15.3	Stress
skull: 15.3, 6	triage: 3.4
	in medical personnel: 3.7
Skull Base, Temporal Bone and Otologic	
Injury: 13.18–20	Stryker Frame: 20.8
Small Bowel Injuries: 17.13	Subclavian Vein Venepuncture: 8.1–2
Small Intestine: 17.13	Subconjunctival Hemorrhage: 14.3
Small Portable Expeditionary	Subxiphoid Pericardial Window: 16.7–8
Aeromedical Rapid Response (SPEARR)	Succinylcholine: 5.3; 9.3
team: 2.4	contraindication: 9.3
Smallpox: 31.2, 5	malignant hyperthermia: 9.3
Sodium, Fractional Excretion (FENA):	Sucking Chest Wounds: 16.4
11.10	Sulfadiazine: 28.7
Sodium Bicarbonate: 11.10	Sulfamylon: 28.7–8, 15
Sodium Nitrite/Thiosulfate: 32.5	Supplies, Triage and Resuscitation
Soft Tissue Injuries	Facility, see chapter 2
care after initial surgery: 22.5-6	Surgical Company: 2.5
compartment syndrome: 22.9–10	Surgicel: 17.12
crush syndrome: 22.6–8	Symes Amputation: 25.4
debridement: 22.2–4	Synovium: 24.4
face: 13.9	Systemic Inflammatory Response (SIRS)
fasciotomy technique: 22.10-14	disease: 11.2
primary wound care: 22.2–5	Tactical Abbreviated Surgical Control
presurgical care: 22.1	(TACS): 12.1
priorities: 22.1–2	
	Tanks, Crew Injuries: 1.9
Sonography, see Ultrasound	Temazepam, in Altitude Insomnia: 29.27
Sorting, see chapter 3	Temporary Cavity: 1.3, 7–8
Spall: 1.10	Tendons, Contraindication to Repair: 22.4
Spica Cast: 25.6–8	Tension Pneumothorax: 5.3
Spinal Column and Cord Injuries	Testicles: 18.13
classification: 20.2–3	Tetanus Immune Globulin: 10.6
corticosteroids for closed spine	Tetanus Toxoid: 14.3
injuries: 20.9	cold injury: 29.6
emergent surgery for penetrating	tetanus-prone wounds: 10.6
spine injuries: 20.9	Thermal Injury: 1.4
Gardner-Wells tongs: 20.6–8	in nuclear detonation: 30.1–2

	Thermobaric Weapon: 1.4	tips: 3.14–15
	Thickening Agents: 32.5	triage decision making: 3.7
	Thigh, Compartments and Fasciotomy:	Triazolam, in Altitude Insomnia: 29.27
	22.11	Trismus, in Tetanus: 10.4
,	Thiopental: 9.4	Trunk, Circumferential Burns: 28.3
	Thoracic Injuries	Tube Thoracostomy 16.4
	evaluation and diagnosis: 16.2	Tularemia: 31.5
	diaphragm: 16.15	Tympanic Membrane, Injuries: 13.19
	esophagus: 16.14–15	Ultrasound
	heart: 16.12	abdominal: 17.3
	lungs: 16.12–13	duplex: 27.2
	thoracic damage control: 12.6	Unexploded Ordnance: 1.13–14
	tracheobronchial tree: 16.14	Uranium, depleted: 1.10
	Thoracic Spine: 20.8	Ureter: 18.6–9
	Thoracoabdominal Injuries: 16.11	Ureteroneocystostomy: 18.8
	Thoracostomy: 16.4	Ureteroureterostomy: 18.7–8
	Tibia: 23.13–17	Urethra
	Tidal Volume: 9.6; 11.6	injuries: 18.10–12
,	Timolol Ophthalmic: 14.7	pelvic fracture: 21.2
	Tinnitus: 13.19	Urethral Stricture: 18–12
	Toe Injuries: 26.6	Urethrography: 18.10–11
	Tooth	Urinary Diversion: 18.4, 6
	fragments 13.1	Urine
	removal 13.4	characteristics in crush injury: 22.7
,	Topical Antimicrobials, see chapter 28	characteristics in renal failure: 11.9-12
	Total Intravenous Anesthesia: 9.7	Uterine Hemorrhage
	Tourniquet: 6.3–4	atony: 19.13
	Toxic Fumes, in Damaged AFV: 1.13	indication for C-section: 19.11
	Tracheal Injury: 13.16	postpartum: 19.13–14
	Tracheobronchial Injury: 16.14	Uterus, Injuries: 19.3
	in burns: 28.2	Vacuum wound closure sytem: 22.14
,	Traction	Vagina
	cranial tongs: 20.6	hematoma: 19.3
	skeletal: 23.19–20	injuries: 19.2–3
	skin: 25.5	mass: 19.8
,		
	Transfusion Therapy: 7.6	precipitous delivery: 19.9
,	massive: 7.8–9	Vancomycin: 10.10
	Transfusion Reactions	Valium, Heat Stroke: 29.16
	management: 7.7	Vascular Access
	Rh blood group and females: 7.7–8	interosseous infusion: 8.4
	Trauma Record	techniques subclavian vein/internal
	data collection: A3.4–7	jugular/greater saphenous: 8.1–4
	died of wounds: A3.2	Vascular Injuries
	killed in action: A3.2	complications: 27.8–9
	Trenchfoot: 29.2–3	compartment syndrome: 22.9–14;
	Triage	26.2, 6–8
	alternate triage categories (emergent,	evaluation and diagnosis: 27.1–2
	nonemergent, expectant): 3.3	hemorrhage control: 27.3
	categories (immediate, delayed,	management: 27.3–8
	minimal, expectant): 3.2	postoperative management: 27.8–9
	combat stress: 3.4	repair: 27.6–7, 10; 13.2
	decision making: 3.8	shunts: 27.6
	radiation injury: 30.2–3	Vasoconstrictors, in Distributive Shock:
	resource constraints: 3.5–7	7.2
	setup, staffing and operations of	Vasopressors
	triage system: 3.9–14	dobutamine: 11.3
	0 /	

hematoma: 19.2 injuries: 19.1